

Publikationsliste for BBH 2006

BBH 010 anæstesiologisk afdeling R

Brandstrup B, Svensen C, Engquist A. Hemorrhage and operation cause a contraction of the extracellular space needing replacement--evidence and implications? A systematic review. *Surgery* 2006;139(3):419-32.

Engquist A. Restritiv perioperativ vaeskebehandling. *Draaben* 2006;2:8-12.

Engquist A, Brandstrup B. Rationel vaeske-, elektrolytbehandling og ernaering. 2.udgave, 2.oplag ed. Kobenhavn: Munksgaard; 2006.

Hallas P, Ellingsen T. Errors in fracture diagnoses in the emergency department - characteristics of patients and diurnal variation. *BMC Emerg Med* 2006;6:4.

Hallas P, Pedersen LM. [Emergency medicine specialty a possibility for quality improvement]. *Ugeskr Laeger* 2006;168(5):494-5.

Hallas P. The effect of specialist treatment in emergency medicine. A survey of current experiences. *Scand J Trauma Resusc Emerg Med* 2006;14:5-8.

Hallas P. People are poor - not primitive. Letter from Papua New Guniea. *The Norwegian Medical Journal/Tidsskrift Norske Laegeforening* 2006;126:1094-6.

Immink RV, Secher NH, Roos CM, Pott F, Madsen PL, van Lieshout JJ. The postural reduction in middle cerebral artery blood velocity is not explained by PaCO₂. *Eur J Appl Physiol* 2006;96(5):609-14.

Juul AB, Wetterslev J, Gluud C, Kofoed-Enevoldsen A, Jensen G, Callesen T, et al. Effect of perioperative beta blockade in patients with diabetes undergoing major non-cardiac surgery: randomised placebo controlled, blinded multicentre trial. *BMJ* 2006;332(7556):1482.

Mantoni T, Belhage B, Pott FC. [Prolonged survival after accidental immersion in cold water]. *Ugeskr Laeger* 2006;168(38):3227-8.

Mantoni T, Belhage B, Pott FC. [Survival in cold water. Physiological consequences of accidental immersion in cold water]. *Ugeskr Laeger* 2006;168(38):3203-5.

Moller, A. The impact of smoking on the preoperative course and the effects of preoperative smoking intervention (disputats). Kobenhavn: 2006:1-26. Forsvaret den 8/12 2006 ved Kobenhavns Universitet, Det Sundhedsvidenskabelige Fakultet, H:S Rigshospitalet.

Zeuthen T, Belhage B, Zeuthen E. Water transport by Na⁺-coupled cotransporters of glucose (SGLT1) and of iodide (NIS). The dependence of substrate size studied at high resolution. *J Physiol* 2006;570(Pt 3):485-99.

BBH 030 Røngtenafdeling

Har ikke publiceret noget i 2006

BBH 050 Reumatologisk afdeling H

Aagaard P, Madsen K, Magnusson SP, Bojsen-Moller J. Strength training for sport, health, aging and rehabilitation. Odense: 2006.

- Andersen LL, Magnusson SP, Nielsen M, Haleem J, Poulsen K, Aagaard P. Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. *Phys Ther* 2006;86(5):683-97.
- Bandholm T, Rasmussen L, Aagaard P, Jensen BR, Diederichsen L. Force steadiness, muscle activity, and maximal muscle strength in subjects with subacromial impingement syndrome. *Muscle Nerve* 2006;34(5):631-9.
- Beyer N. *Stol på idraet - idraet på en stol*. København: Dansk Arbejder Idrætsforbund; 2006.
- Boesen MI, Koenig MJ, Torp-Pedersen S, Bliddal H, Langberg H. Tendinopathy and Doppler activity: the vascular response of the achilles tendon to exercise. *Scand J Med Sci Sports* 2006;16(6):463-9.
- Boesen MI, Torp-Pedersen S, Koenig MJ, Christensen R, Langberg H, Holmich P, et al. Ultrasound guided electrocoagulation in patients with chronic non-insertional Achilles tendinopathy: a pilot study. *Br J Sports Med* 2006;40(9):761-6.
- Bojsen-Moller J, Kalliokoski KK, Seppanen M, Kjaer M, Magnusson SP. Low-intensity tensile loading increases intratendinous glucose uptake in the Achilles tendon. *J Appl Physiol* 2006;101(1):196-201.
- Dela F, Kjaer M. Resistance training, insulin sensitivity and muscle function in the elderly. *Essays Biochem* 2006;42:75-88.
- Dias N, Kempen GI, Todd CJ, Beyer N, Freiburger E, Piot-Ziegler C, et al. [The German version of the Falls Efficacy Scale-International Version (FES-I)]. *Z Gerontol Geriatr* 2006;39(4):297-300.
- Ferguson RA, Krstrup P, Kjaer M, Mohr M, Ball D, Bangsbo J. Effect of temperature on skeletal muscle energy turnover during dynamic knee-extensor exercise in humans. *J Appl Physiol* 2006;101(1):47-52.
- Hansen P, Bojsen-Moller J, Aagaard P, Kjaer M, Magnusson SP. Mechanical properties of the human patellar tendon, in vivo. *Clin Biomech (Bristol , Avon)* 2006;21(1):54-8.
- Haraldsson BT, Langberg H, Aagaard P, Zuurmond AM, van EB, Degroot J, et al. Corticosteroids reduce the tensile strength of isolated collagen fascicles. *Am J Sports Med* 2006;34(12):1992-7.
- Hauer K, Becker C, Lindemann U, Beyer N. Effectiveness of physical training on motor performance and fall prevention in cognitively impaired older persons: a systematic review. *Am J Phys Med Rehabil* 2006;85(10):847-57.
- Havemose-Poulsen A, Westergaard J, Stoltze K, Skjodt H, nneskiold-Samsoe B, Locht H, et al. Periodontal and hematological characteristics associated with aggressive periodontitis, juvenile idiopathic arthritis, and rheumatoid arthritis. *J Periodontol* 2006;77(2):280-8.
- Helge JW, Biba TO, Galbo H, Gaster M, Donsmark M. Muscle triacylglycerol and hormone-sensitive lipase activity in untrained and trained human muscles. *Eur J Appl Physiol* 2006;97(5):566-72.
- Holm L, Esmarck B, Mizuno M, Hansen H, Suetta C, Holmich P, et al. The effect of protein and carbohydrate supplementation on strength training outcome of rehabilitation in ACL patients. *J Orthop Res* 2006;24(11):2114-23.
- Jespersen J, Kjaer M, Schjerling P. The possible role of myostatin in skeletal muscle atrophy and cachexia. *Scand J Med Sci Sports* 2006;16(2):74-82.
- Junker P, Egsmose C. *Infektionsrelateret artrit*. Reumatologi. København: FADL; 2006:235-42.
- Kalliokoski KK, Scheede-Bergdahl C, Kjaer M, Boushel R. Muscle perfusion and metabolic heterogeneity: insights from noninvasive imaging techniques. *Exerc Sport Sci Rev* 2006;34(4):164-70.

Kalliokoski KK, Langberg H, Ryberg AK, Scheede-Bergdahl C, Doessing S, Kjaer A, et al. Nitric oxide and prostaglandins influence local skeletal muscle blood flow during exercise in humans: coupling between local substrate uptake and blood flow. *Am J Physiol Regul Integr Comp Physiol* 2006;291(3):R803-R809.

Kanstrup IL, Hansen M, Kjaer M. Konsforskelle i sportspraestationer. *Ugeskr Laeger* 2006;168:4507-10.

Kjaer M, Magnusson P, Krogsgaard M, Boysen MJ, Olesen J, Heinemeier K, et al. Extracellular matrix adaptation of tendon and skeletal muscle to exercise. *J Anat* 2006;208(4):445-50.

Kjaer M. Sudden cardiac death associated with sports in young individuals: is screening the way to avoid it? *Scand J Med Sci Sports* 2006;16(1):1-3.

Kjaer M, Schroeder TV. Toppraestation - for enhver pris. *Ugeskr Laeger* 2006;168:4501.

Kjaer M, Suetta C, Toennesen H. Den fysisk inaktive operationspatient. *Ugeskr Laeger* 2006;168:4322.

Kjaer M. Dopingmidler blandt patienter i almen praksis. *Ugeskr Laeger* 2006;168:3107.

Kongsgaard M, Aagaard P, Roikjaer S, Olsen D, Jensen M, Langberg H, et al. Decline eccentric squats increases patellar tendon loading compared to standard eccentric squats. *Clin Biomech (Bristol , Avon)* 2006;21(7):748-54.

Krogsgaard M, Kjaer M. Langtidsfølger på bevaegeapparatet af eliteidraet. *Ugeskr Laeger* 2006;168:4535-7.

Krogsgaard M, Jacobsen BW, Tordrup P, Kjaer M. Referenceprogram for ligamentskader i knaetet. København: Dansk Selskab for Artropisk Kirurgi og Sportstraumatologi (SAKS); 2006.

Krustrup P, Mohr M, Steensberg A, Bencke J, Kjaer M, Bangsbo J. Muscle and blood metabolites during a soccer game: implications for sprint performance. *Med Sci Sports Exerc* 2006;38(6):1165-74.

Langberg H. Overbelastningsskader i senevaev: hvad siger den nyeste forskning og hvordan behandler vi skader i senevaevet? *Norsk Idrettsmedisin* 2006;21:3-9.

Lauritzen HP, Ploug T, Prats C, Tavare JM, Galbo H. Imaging of insulin signaling in skeletal muscle of living mice shows major role of T-tubules. *Diabetes* 2006;55(5):1300-6.

Locht H, Wiik A. IgG and IgM isotypes of anti-cardiolipin and anti-beta2-glycoprotein I antibodies reflect different forms of recent thrombo-embolic events. *Clin Rheumatol* 2006;25(2):246-50.

Locht H, Wiik A. Prevalence of antibodies against oxidised LDL in a cohort of 163 patients with positive anti-phospholipid antibodies and recent thrombosis. *Rheumatol Int* 2006;26(5):416-21.

Lund T, Langberg H. Mekanisk paavirkning af cellen. *Fysioterapeuten* 2006;22:5-9.

Mackey AL, Donnelly AE, Swanton A, Murray F, Turpeenniemi-Hujanen T. The effects of impact and non-impact exercise on circulating markers of collagen remodelling in humans. *J Sports Sci* 2006;24(8):843-8.

Magnusson P, Renstroem P. The European College of Sports Sciences Position Statement: The role of stretching exercises in sports. *European Journal of Sport Science* 2006;6:87-91.

Mahler M, Kessenbrock K, Szmyrka M, Takasaki Y, Garcia-De LT, I, Shoenfeld Y, et al. International multicenter evaluation of autoantibodies to ribosomal P proteins. *Clin Vaccine Immunol* 2006;13(1):77-83.

Meibom, B. E. Elderly and resistance training: timing and composition of the exercise meal (ph.d.). København: Eget; 2006:9/6 2006 ved Kobenhavns Universitet, Det Naturvidenskabelige Fakultet.

- Mikkelsen UR, Gissel H, Fredsted A, Clausen T. Excitation-induced cell damage and beta2-adrenoceptor agonist stimulated force recovery in rat skeletal muscle. *Am J Physiol Regul Integr Comp Physiol* 2006;290(2):R265-R272.
- Miller BF, Hansen M, Olesen JL, Flyvbjerg A, Schwarz P, Babraj JA, et al. No effect of menstrual cycle on myofibrillar and connective tissue protein synthesis in contracting skeletal muscle. *Am J Physiol Endocrinol Metab* 2006;290(1):E163-E168.
- Mortensen P, Birk K, Zebis M, Aagaard P. Har udtrætning indflydelse på forekomsten af ACL-skader? *Dansk Sportsmedicin* 2006;2:20-3.
- Oestergaard M, Kjaer M, Manniche C, Noerregaard J, Wiell C, Hetland ML, et al. Fremskridt i reumatologien. *Ugeskr Laeger* 2006;168:1240.
- Olesen JL, Heinemeier KM, Haddad F, Langberg H, Flyvbjerg A, Kjaer M, et al. Expression of insulin-like growth factor I, insulin-like growth factor binding proteins, and collagen mRNA in mechanically loaded plantaris tendon. *J Appl Physiol* 2006;101(1):183-8.
- Olesen JL, Heinemeier KM, Langberg H, Magnusson SP, Kjaer M, Flyvbjerg A. Expression, content, and localization of insulin-like growth factor I in human achilles tendon. *Connect Tissue Res* 2006;47(4):200-6.
- Olesen JL, Langberg H, Heinemeier KM, Flyvbjerg A, Kjaer M. Determination of markers for collagen type I turnover in peritendinous human tissue by microdialysis: effect of catheter types and insertion trauma. *Scand J Rheumatol* 2006;35(4):312-7.
- Olesen, J. L. Insulin-like growth factor I (IGF-I), IGF binding proteins and collagen synthesis - relation to mechanical loading of tendon (ph.d.). København: Eget; 2006:20/6 2006 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.
- Olsen S, Aagaard P, Kadi F, Tufekovic G, Verney J, Olesen JL, et al. Creatine supplementation augments the increase in satellite cell and myonuclei number in human skeletal muscle induced by strength training. *J Physiol* 2006;573(Pt 2):525-34.
- Olsen, S. S. Long-term creatine supplementation and resistance training: effects on muscle strength and muscle adaptation (ph.d.). København: Eget; 2006:8/2 2006 ved Københavns Universitet, Det Naturvidenskabelige Fakultet.
- Prats C, Donsmark M, Qvortrup K, Londos C, Sztalryd C, Holm C, et al. Decrease in intramuscular lipid droplets and translocation of HSL in response to muscle contraction and epinephrine. *J Lipid Res* 2006;47(11):2392-9.
- Roepstorff C, Donsmark M, Thiele M, Vistisen B, Stewart G, Vissing K, et al. Sex differences in hormone-sensitive lipase expression, activity, and phosphorylation in skeletal muscle at rest and during exercise. *Am J Physiol Endocrinol Metab* 2006;291(5):E1106-E1114.
- Trautner S, Amtorp O, Boesgaard S, Andersen CB, Galbo H, Haunsøe S, et al. Noradrenaline-induced increases in calcium and tension in skeletal muscle conductance and resistance arteries from rats with post-infarction heart failure. *Eur J Pharmacol* 2006;537(1-3):143-54.
- Trautner S, Amtorp O, Boesgaard S, Andersen CB, Galbo H, Haunsøe S, et al. Ca(2+) sensitisation of force production by noradrenaline in femoral conductance and resistance arteries from rats with postinfarction congestive heart failure. *Vascul Pharmacol* 2006;44(3):156-65.
- Vinther A, Kanstrup IL, Christiansen E, Alkjaer T, Larsson B, Magnusson SP, et al. Exercise-induced rib stress fractures: potential risk factors related to thoracic muscle co-contraction and movement pattern. *Scand J Med Sci Sports* 2006;16(3):188-96.

Yardley L, Bishop FL, Beyer N, Hauer K, Kempen GI, Piot-Ziegler C, et al. Older people's views of falls-prevention interventions in six European countries. *Gerontologist* 2006;46(5):650-60.

BBH 060 Fysio_ og ergoterapeutafdelingen

Andersen LL, Magnusson SP, Nielsen M, Haleem J, Poulsen K, Aagaard P. Neuromuscular activation in conventional therapeutic exercises and heavy resistance exercises: implications for rehabilitation. *Phys Ther* 2006;86(5):683-97.

Bojsen-Moller J, Kalliokoski KK, Seppanen M, Kjaer M, Magnusson SP. Low-intensity tensile loading increases intratendinous glucose uptake in the Achilles tendon. *J Appl Physiol* 2006;101(1):196-201.

Burholt K. Fysioterapi. In: Werdelin L, ed. *Parkinsons sygdom - en bog for patienter, pårørende og behandlere*. 1. udgave ed. København: Munksgaard Danmark; 2006:114-20.

Burholt K. Rehabilitering af mennesker med Parkinsons sygdom. In: Wæhrens E, Winkel A, Gyiring J, eds. *Neurologi og neurorehabilitering*. 1. udgave ed. København: Munksgaard Danmark; 2006:235-9.

Dias N, Kempen GI, Todd CJ, Beyer N, Freiburger E, Piot-Ziegler C, et al. [The German version of the Falls Efficacy Scale-International Version (FES-I)]. *Z Gerontol Geriatr* 2006;39(4):297-300.

Hansen P, Bojsen-Moller J, Aagaard P, Kjaer M, Magnusson SP. Mechanical properties of the human patellar tendon, in vivo. *Clin Biomech (Bristol , Avon)* 2006;21(1):54-8.

Haraldsson BT, Langberg H, Aagaard P, Zuurmond AM, van EB, Degroot J, et al. Corticosteroids reduce the tensile strength of isolated collagen fascicles. *Am J Sports Med* 2006;34(12):1992-7.

Hauer K, Becker C, Lindemann U, Beyer N. Effectiveness of physical training on motor performance and fall prevention in cognitively impaired older persons: a systematic review. *Am J Phys Med Rehabil* 2006;85(10):847-57.

Kongsgaard M, Aagaard P, Roikjaer S, Olsen D, Jensen M, Langberg H, et al. Decline eccentric squats increases patellar tendon loading compared to standard eccentric squats. *Clin Biomech (Bristol , Avon)* 2006;21(7):748-54.

Vinther A, Kanstrup IL, Christiansen E, Alkjaer T, Larsson B, Magnusson SP, et al. Exercise-induced rib stress fractures: potential risk factors related to thoracic muscle co-contraction and movement pattern. *Scand J Med Sci Sports* 2006;16(3):188-96.

Yardley L, Bishop FL, Beyer N, Hauer K, Kempen GI, Piot-Ziegler C, et al. Older people's views of falls-prevention interventions in six European countries. *Gerontologist* 2006;46(5):650-60.

BBH 100 Ortopædkirurgisk afdeling M

Berg JO, Rasmussen SW. [Picture of the month: rupture of the pectoralis major]. *Ugeskr Laeger* 2006;168(35):2924.

Diederichsen LP, Norregaard J, Dyhre-Poulsen P, Winther A, Tufekovic G, Bandholm T, et al. The effect of handedness on electromyographic activity of human shoulder muscles during movement. *J Electromyogr Kinesiol* 2006;

Hassenkam T, Jorgensen HL, Lauritzen JB. Mapping the imprint of bone remodeling by atomic force microscopy. *Anat Rec A Discov Mol Cell Evol Biol* 2006;288(10):1087-94.

Holm L, Esmarck B, Mizuno M, Hansen H, Suetta C, Holmich P, et al. The effect of protein and carbohydrate supplementation on strength training outcome of rehabilitation in ACL patients. *J Orthop Res* 2006;24(11):2114-23.

Kjaer M, Magnusson P, Krogsgaard M, Boysen MJ, Olesen J, Heinemeier K, et al. Extracellular matrix adaptation of tendon and skeletal muscle to exercise. *J Anat* 2006;208(4):445-50.

Krogsgaard M, Kjaer M. [Long term musculoskeletal effects of elite sports performance]. *Ugeskr Laeger* 2006;168(51):4535.

Krogsgaard MR, Jensen PK, Kjaer I, Husted H, Lorentzen J, Hvass-Christensen B, et al. Increasing incidence of club foot with higher population density: Incidence and geographical variation in Denmark over a 16-year period-an epidemiological study of 936,525 births. *Acta Orthop* 2006;77(6):839-46.

Lauritzen JB. Almen ortopædi: Degenerative tilstande. In: Sneppen O, Bünger C, Hvid I, eds. *Ortopædisk kirurgi*. 6th ed. København: FADL; 2006:238-48.

Lauritzen JB. Nonfarmakologisk behandling. In: Brot C, Vang Skjøth T, Nielsen K, eds. *Faldpatienter i den kliniske hverdag - rådgivning fra Sundhedsstyrelsen*. 1th ed. Albertslund: Sundhedsstyrelsen; 2006:40-2.

Mattiessen ME, Krogsgaard M, Poulsen K, Petersen OW. *Human anatomi - tekstbog & atlas. Hoved og hals*. København: FADL; 2006.

Mattiessen ME, Krogsgaard M, Poulsen K, Petersen OW. *Human anatomi - tekstbog & atlas. Ekstremiteter & kropsvægten*. København: FADL; 2006.

Mattiessen ME, Krogsgaard M, Poulsen K, Petersen OW. *Human anatomi - tekstbog & atlas. Thorax & abdomen*. København: FADL; 2006.

Petersen MB, Jorgensen HL, Hansen K, Duus BR. Factors affecting postoperative mortality of patients with displaced femoral neck fracture. *Injury* 2006;37(8):705-11.

Suetta C, Aagaard P, Magnusson SP, Andersen LL, Sipila S, Rosted A, et al. Muscle size, neural activation and rapid force characteristics in elderly men and women - effects of unilateral long-term disuse due to hip-osteoarthritis. *J Appl Physiol* 2006;

BBH 130 Klinisk fysiologisk afdeling

Bulow J, Gjæraa K, Enevoldsen LH, Simonsen L. Lipid mobilization from human abdominal, subcutaneous adipose tissue is independent of sex during steady-state exercise. *Clin Physiol Funct Imaging* 2006;26(4):205-11.

Damgaard M, Norsk P, Gustafsson F, Kanters JK, Christensen NJ, Bie P, et al. Hemodynamic and neuroendocrine responses to changes in sodium intake in compensated heart failure. *Am J Physiol Regul Integr Comp Physiol* 2006;290(5):R1294-R1301.

Esbjornsson M, Bulow J, Norman B, Simonsen L, Nowak J, Rooyackers O, et al. Adipose tissue extracts plasma ammonia after sprint exercise in women and men. *J Appl Physiol* 2006;101(6):1576-80.

Glenthøj BY, Mackeprang T, Svarer C, Rasmussen H, Pinborg LH, Friberg L, et al. Frontal dopamine D(2/3) receptor binding in drug-naïve first-episode schizophrenic patients correlates with positive psychotic symptoms and gender. *Biol Psychiatry* 2006;60(6):621-9.

Hjermind LE, Johannsen LG, Blau N, Wevers RA, Lucking CB, Hertz JM, et al. Dopa-responsive dystonia and early-onset Parkinson's disease in a patient with GTP cyclohydrolase I deficiency? *Mov Disord* 2006;21(5):679-82.

Krag A, Simonsen L, Henriksen JH, Ottesen L, Bendtsen F. Effect of meal and propranolol on whole body and splanchnic oxygen consumption in patients with cirrhosis. *Am J Physiol Gastrointest Liver Physiol* 2006;291(1):G8-15.

Oturai PS, Lorenzen T, Norregaard J, Simonsen L. Evaluation of Tc-99m-tetrofosmin single-photon emission computed tomography for detection of chronic exertional compartment syndrome of the leg. *Scand J Med Sci Sports* 2006;16(4):282-6.

Simonsen L, Soerum C. Myocardial perfusion SPECT defects resulting from cystic echinococcosis in the pericardium. *Clin Nucl Med* 2006;31(2):96-8.

BBH 140 Klinisk biokemisk afdeling

Abrahamsen B., Jorgensen HL, Nielsen TL, Andersen M, Haug E, Schwartz P, et al. MTHFR C677T polymorphism as an independent predictor of peak bone mass in Danish men - results from the Odense Androgen Study. *Bone* 2006;38:215-9.

Ahnaou A, Yon L, Arluison M, Vaudry H, Hannibal J, Hamon M, et al. Immunocytochemical distribution of VIP and PACAP in the rat brain stem: implications for REM sleep physiology. *Ann NY Acad Sci* 2006;1070:135-42.

Fahrenkrug J. PACAP - a multifaceted neuropeptide. *Chronobiol Int* 2006;23:53-61.

Fahrenkrug J, Georg B, Hannibal J, Hindersson P, Gräs S. Diurnal rhythmicity of the clock genes Per1 and Per2 in the rat ovary. *Endocrinology* 2006;147:3769-76.

Hannibal J. Role of PACAP-containing retinal ganglion cells in circadian timing. *Int Rev Cytol* 2006;251:1-39.

Hannibal J. Regulation of melanopsin expression. *Chronobiol Int* 2006;23:159-66.

Hannibal J, Fahrenkrug J. Neuronal input pathways to the brain's biological clock and their functional significance. *Adv Anat Embryol Cell Biol* 2006;182:1-71.

Hansen JM, Sitarz J, Birk S, Rahmann AM, Otura PS, Fahrenkrug J, et al. Vasoactive intestinal polypeptide evokes only a minimal headache in healthy volunteers. *Cephalalgia* 2006;26:992-1003.

Hassenkam T, Jorgensen HL, Lauritzen JB. Mapping the imprint of bone remodeling by atomic force microscopy. *Anat Rec A discov Mol Cell Evol Biol* 2006;288A:1087-94.

Papka RE, Workely M, Usip S, Mowa CN, Fahrenkrug J. Expression of pituitary adenylate cyclase activating peptide in the uterine cervix, lumbosacral dorsal root ganglia and spinal cord of rats during pregnancy. *Peptides* 2006;27:743-52.

Petersen MB, Jorgensen HL, Hansen K, Duus B. Factors affecting postoperative mortality of patients with dislocated femoral neck fracture - Garden type 3-4. *Injury* 2006;705-11.

BBH 170 Neurologisk afd. N, Forskningslaboratorium for sterologi og neurovidenskab, afdeling N

Andersen, BB. The human cerebellum in numbers: impact of age and disease (disputats). København: Eget forlag; 2006:1-51. Forsvaret den 18/8 2006 ved Det Sundhedsvidenskabelige Fakultet, Panum Institutet, Københavns Universitet.

Bakke M, Max TN, Bardow A, Dalager T, Eckhart TC, Regeur L. Treatment of gustatory sweating with low-dose botulinum toxin A: a case report. *Acta Odontol Scand* 2006;64(3):129-33.

Gray LJ, Sprigg N, Bath PMW, Sorensen P, Lindenstrom E, Boysen G, et al. Significant variation in mortality and functional outcome after acute ischaemic stroke between western countries: data from the tinzaparin in acute ischaemic stroke trial (TAIST). *J Neurol Neurosurg Psychiatry* 2006;77(3):327-33.
<http://jnnp.bmj.com/cgi/content/abstract/77/3/327>.

Jelsing J, Hay-Schmidt A, Dyrby T, Hemmingsen R, Uylings HB, Pakkenberg B. The prefrontal cortex in the Gottingen minipig brain defined by neural projection criteria and cytoarchitecture. *Brain Res Bull* 2006;70(4-6):322-36.

Jelsing J, Gundersen HJ, Nielsen R, Hemmingsen R, Pakkenberg B. The postnatal development of cerebellar Purkinje cells in the Gottingen minipig estimated with a new stereological sampling technique--the vertical bar fractionator. *J Anat* 2006;209(3):321-31.

Jelsing J, Nielsen R, Olsen AK, Grand N, Hemmingsen R, Pakkenberg B. The postnatal development of neocortical neurons and glial cells in the Gottingen minipig and the domestic pig brain. *J Exp Biol* 2006;209(Pt 8):1454-62.

Jelsing, J. Morphometric analyses of the pig brain - development and application of methods (ph.d.-afhandling). Kobenhavn: Eget forlag; 2006:1-35. Forsvaret den 27/10 2006 ved Det Sundhedsvidenskabelige Fakultet, Teilmum Bygning, Kobenhavns Universitet.

Joelving FC, Billeskov R, Christensen JR, West M, Pakkenberg B. Hippocampal neuron and glial cell numbers in Parkinson's disease--a stereological study. *Hippocampus* 2006;16(10):826-33.

Karlsborg M, Regeur L. [New types of dopaminergic treatment. The Danish Society of Movement Disorders]. *Ugeskr Laeger* 2006;168(12):1209.

Kaste M, Boysen G, Indredavik B, Norrving B. Stroke unit care in Scandinavian countries. *International Journal of Stroke* 2006;1(1):44. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1747-4949.2005.00008.x>.

Larsen CC, Bonde LK, Bogdanovic N, Laursen H, Graem N, Samuelsen GB, et al. Total number of cells in the human newborn telencephalic wall. *Neuroscience* 2006;139(3):999-1003.

Lokkegaard A, Werdelin LM, Regeur L, Karlsborg M, Jensen SR, Brodsgaard E, et al. Dopamine transporter imaging and the effects of deep brain stimulation in patients with Parkinson's disease. *Eur J Nucl Med Mol Imaging* 2006;

Lyck L, Jelsing J, Jensen PS, Lambertsen KL, Pakkenberg B, Finsen B. Immunohistochemical visualization of neurons and specific glial cells for stereological application in the porcine neocortex. *J Neurosci Methods* 2006;152(1-2):229-42.

Pakkenberg H, Fog R. The relation between motor activity and [3H]uridine uptake in the mouse brain. *Scand J Med Sci Sports* 2006;16(6):399-402.

Rasmussen RS, Overgaard K, Hildebrandt-Eriksen ES, Boysen G. D-amphetamine improves cognitive deficits and physical therapy promotes fine motor rehabilitation in a rat embolic stroke model. *Acta Neurol Scand* 2006;113(3):189-98.

Rasmussen, R. S. Treatment and Rehabilitation in an Embolic Stroke Model. (PhD). 12/12 2006 ved Aditorium A, Teilmum Bygningen, Frederik V's Vej 11, 2100 Kobenhavn O.

Sprigg N, Gray LJ, Bath PM, Boysen G, De Deyn PP, Friis P, et al. Relationship between outcome and baseline blood pressure and other haemodynamic measures in acute ischaemic stroke: data from the TAIST trial. *J Hypertens* 2006;24(7):1413-7.

Truelsen T, Piechowski-Jozwiak B, Bonita R, Mathers C, Bogousslavsky J, Boysen G. Stroke incidence and prevalence in Europe: a review of available data. *Eur J Neurol* 2006;13(6):581-98.

Winge K, Fowler CJ. Bladder dysfunction in Parkinsonism: mechanisms, prevalence, symptoms, and management. *Mov Disord* 2006;21(6):737-45.

Winge K, Skau AM, Stimpel H, Nielsen KK, Werdelin L. Prevalence of bladder dysfunction in Parkinsons disease. *Neurourol Urodyn* 2006;25(2):116-22.

Winge, K. Bladder Dysfunction in Parkinson's Disease - Prevalence of symptoms and effects of antiparkinsonian treatment. (PhD).31/3 2006 ved Sygeplejeskolen, Bispebjerg Hospital opg. 50 i auditoriet.

Winge K, Nielsen KK, Stimpel H, Lokkegaard A, Jensen SR, Werdelin L. Lower urinary tract symptoms and bladder control in advanced Parkinson's disease: Effects of deep brain stimulation in the subthalamic nucleus. *Mov Disord* 2007;22(2):220-5.

BBH 190 Patologiafdelingen

Adamsen S, Olsen M, Jendresen MB, Holck S, Glenthøj A. Endobiliary brush biopsy: Intra- and interobserver variation in cytological evaluation of brushings from bile duct strictures. *Scand J Gastroenterol* 2006;41(5):597-603.

Agren MS, Ostenfeld U, Kallehave F, Gong Y, Raffn K, Crawford ME, et al. A randomized, double-blind, placebo-controlled multicenter trial evaluating topical zinc oxide for acute open wounds following pilonidal disease excision. *Wound Repair Regen* 2006;14(5):526-35.

Krustrup D, Rossen K, Thomsen HK. Procollagen 1 - a marker of fibroblastic and fibrohistiocytic skin tumors. *J Cutan Pathol* 2006;33(9):614-8.

BBH 200 Psykiatrisk afdeling E

Arnfred SM, Hemmingsen RP, Parnas J. Delayed early proprioceptive information processing in schizophrenia. *Br J Psychiatry* 2006;189:558-9.

Christensen VB, Norredam ML, Karle H, Hemmingsen RP. [Undergraduate and postgraduate education in international health]. *Ugeskr Laeger* 2006;168(36):3013-5.

Ehlers L, Vestergaard M, Kidholm K, Bonnevie B, Pedersen PH, Jorgensen T, et al. Doing mini-health technology assessments in hospitals: a new concept of decision support in health care? *Int J Technol Assess Health Care* 2006;22(3):295-301.

Eplov LF, Jorgensen T, Birket-Smith M, Petersen J, Johansen C, Mortensen EL. Mental vulnerability--a risk factor for ischemic heart disease. *J Psychosom Res* 2006;60(2):169-76.

Fagerlund B, Pagsberg AK, Hemmingsen RP. Cognitive deficits and levels of IQ in adolescent onset schizophrenia and other psychotic disorders. *Schizophr Res* 2006;85(1-3):30-9.

Falkai P, Wobrock T, Lieberman J, Glenthøj B, Gattaz WF, Moller HJ. World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia, part 2: long-term treatment of schizophrenia. *World J Biol Psychiatry* 2006;7(1):5-40.

- Folkersen J, Pedersen PH. [Attitudes to the use of a decision support method when introducing new medical technology at the University Hospital of Copenhagen]. *Ugeskr Laeger* 2006;168(21):2069-74.
- Glenthøj BY, Mackeprang T, Svarer C, Rasmussen H, Pinborg LH, Friberg L, et al. Frontal dopamine D(2/3) receptor binding in drug-naive first-episode schizophrenic patients correlates with positive psychotic symptoms and gender. *Biol Psychiatry* 2006;60(6):621-9.
- Hansen T, Hemmingsen RP, Wang AG, Olsen L, Timm S, Soeby K, et al. Apolipoprotein D is associated with long-term outcome in patients with schizophrenia. *Pharmacogenomics J* 2006;6(2):120-5.
- Ingason A, Soeby K, Timm S, Wang AG, Jakobsen KD, Fink-Jensen A, et al. No significant association of the 5' end of neuregulin 1 and schizophrenia in a large Danish sample. *Schizophr Res* 2006;83(1):1-5.
- Jelsing J, Hay-Schmidt A, Dyrby T, Hemmingsen R, Uylings HB, Pakkenberg B. The prefrontal cortex in the Gottingen minipig brain defined by neural projection criteria and cytoarchitecture. *Brain Res Bull* 2006;70(4-6):322-36.
- Jelsing J, Gundersen HJ, Nielsen R, Hemmingsen R, Pakkenberg B. The postnatal development of cerebellar Purkinje cells in the Gottingen minipig estimated with a new stereological sampling technique--the vertical bar fractionator. *J Anat* 2006;209(3):321-31.
- Jelsing J, Nielsen R, Olsen AK, Grand N, Hemmingsen R, Pakkenberg B. The postnatal development of neocortical neurons and glial cells in the Gottingen minipig and the domestic pig brain. *J Exp Biol* 2006;209(Pt 8):1454-62.
- Jensen L, Nielsen MH. Det svære samvær - om modoverføring i psykoseterapi. *Matrix* 2006;23(3)
- Jorgensen P, Nordentoft M, Bredkjaer S. Psykiatriens udfordringer. Et debatbog. *FADL*; 2006.
- Krogh J, Petersen L, Timmermann M, Saltin B, Nordentoft M. Design paper: the DEMO trial: a randomized, parallel-group, observer-blinded clinical trial of aerobic versus non-aerobic versus relaxation training for patients with light to moderate depression. *Contemp Clin Trials* 2007;28(1):79-89.
- Nielsen M. Gruppebehandling for depression. *Psykolog Nyt* 2006;15(6):8-17.
- Nordentoft M. [Cannabis and psychosis]. *Ugeskr Laeger* 2006;168(45):3896-8.
- Nordentoft M, Qin P, Helweg-Larsen K, Juel K. Time-trends in method-specific suicide rates compared with the availability of specific compounds. The Danish experience. *Nord J Psychiatry* 2006;60(2):97-106.
- Nordentoft M, Thorup A, Petersen L, Ohlenschlaeger J, Melau M, Christensen TO, et al. Transition rates from schizotypal disorder to psychotic disorder for first-contact patients included in the OPUS trial. A randomized clinical trial of integrated treatment and standard treatment. *Schizophr Res* 2006;83(1):29-40.
- Nordentoft M. [Treatment following suicide attempt. Therapeutic guarantee needs]. *Ugeskr Laeger* 2006;168(6):551.
- Nordentoft M, Petersen L, Jeppesen P, Thorup AA, Abel MB, Ohlenschlaeger J, et al. [OPUS: a randomised multicenter trial of integrated versus standard treatment for patients with a first-episode psychosis--secondary publication]. *Ugeskr Laeger* 2006;168(4):381-4.
- Nordentoft M, Mortensen PB. Hospital admission and suicide in schizophrenia. In: Pompili M, Girardi P, Tatarelli R, eds. *Suicide in Schizophrenia*. New York: Nova Science Publisher; 2006:
- Ohlenschlaeger, J. Coercion in first-episode schizophrenia-spectrum disorder (ph.d.-afhandling). København: Eget forlag; 2006:3/11 2006 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Osler M, Nordentoft M, Andersen AM. Childhood social environment and risk of drug and alcohol abuse in a cohort of Danish men born in 1953. *Am J Epidemiol* 2006;163(7):654-61.

Pagsberg AK, Baare WF, Raabjerg Christensen AM, Fagerlund B, Hansen MB, Labianca J, et al. Structural brain abnormalities in early onset first-episode psychosis. *J Neural Transm* 2006;

Petersen, L. Outcome and predictors in first-episode schizophrenia spectrum disorders (ph.d.-afhandling). København: Eget Forlag; 2006:28/4 2006 ved Københavns Universitet, Det Sundhedsvidenskabelige Fakultet.

Pinborg LH, Videbaek C, Ziebell M, Mackeprang T, Friberg L, Rasmussen H, et al. [(123)I]Epidepride binding to cerebellar dopamine D(2)/D(3) receptors is displaceable: Implications for the use of cerebellum as a reference region. *Neuroimage* 2007;34(4):1450-3.

Qin P, Nordentoft M, Hoyer EH, Agerbo E, Laursen TM, Mortensen PB. Trends in suicide risk associated with hospitalized psychiatric illness: a case-control study based on Danish longitudinal registers. *J Clin Psychiatry* 2006;67(12):1936-41.

Rasmussen HB, Timm S, Wang AG, Soeby K, Lublin H, Fenger M, et al. Association between the CCR5 32-bp deletion allele and late onset of schizophrenia. *Am J Psychiatry* 2006;163(3):507-11.

Rosenbaum B, Valbak K, Harder S, Knudsen P, Koster A, Lajer M, et al. Treatment of patients with first-episode psychosis: two-year outcome data from the Danish National Schizophrenia Project. *World Psychiatry* 2006;5(2):100-3.

Secher T, Novitskaia V, Berezin V, Bock E, Glenthøj B, Klementiev B. A neural cell adhesion molecule-derived fibroblast growth factor receptor agonist, the FGL-peptide, promotes early postnatal sensorimotor development and enhances social memory retention. *Neuroscience* 2006;141(3):1289-99.

Thorup A, Petersen L, Jeppesen P, Ohlenschlaeger J, Christensen T, Krarup G, et al. Social network among young adults with first-episode schizophrenia spectrum disorders: results from the Danish OPUS trial. *Soc Psychiatry Psychiatr Epidemiol* 2006;41(10):761-70.

Vollmer-Larsen A, Jacobsen TB, Hemmingsen R, Parnas J. Schizoaffective disorder-- the reliability of its clinical diagnostic use. *Acta Psychiatr Scand* 2006;113(5):402-7.

BBH 251 Kvalitets- og uddannelsesafdelingen

Gyntelberg F, Suadcani P, Rix BA, Skov P, Nielsen PE, Juhl E. Quality of hospital care evaluated by Danish nurses and doctors--based on experience from their own or a close family member's hospitalization. *Dan Med Bull* 2006;53(3):342-8.

Maribo T, Lauritsen JM, Waehrens E, Poulsen I, Hesselbo B. [Barthel Index for evaluation of function: a Danish consensus on its use]. *Ugeskr Laeger* 2006;168(34):2790-2.

Villebro N, Wale J. Involving patients and consumers in health care and decision-making processes: nothing about us without us. In: Møller A, Pedersen T, eds. *Evidence-Based anaesthesia and Intensive care*. 1 ed. Cambridge: Cambridge University Press; 2006:103-16.

BBH 340 Videncenter for sårheling Dermatologisk-venerologisk afdeling DS

Amagai M, Ahmed AR, Kitajima Y, Bystryń JC, Milner Y, Gniadecki R, et al. Are desmoglein autoantibodies essential for the immunopathogenesis of pemphigus vulgaris, or just "witnesses of disease"? *Exp Dermatol* 2006;15(10):815-31.

- Andersen ES, Bermark S, Wahlers B, Karlsmark T, Serup J. High-Frequency Ultrasound of a Patient with Pressure Ulcers. *Forum for Nordic Dermato-Venereology* 6 A.D.;11(3):71-2.
- Asmussen L, Bitsch M. X-ray treatment of plantar warts and the development of skin carcinoma. *Acta Derm Venereol* 2006;86(4):378-9.
- Assaf C, Bagot M, Dummer R, Duvic M, Gniadecki R, Knobler R, et al. Minimizing adverse side-effects of oral bexarotene in cutaneous T-cell lymphoma: an expert opinion. *Br J Dermatol* 2006;155(2):261-6.
- Bang B, Gniadecki R. Severe exacerbation of psoriatic arthritis during treatment with efalizumab. A case report. *Acta Derm Venereol* 2006;86(5):456-7.
- Beyer DM, Wulf HC, Stender IM, Haedersdal M. [Treatment by non-physicians of skin diseases--including potentially malignant diseases with lasers and intense pulsed light]. *Ugeskr Laeger* 2006;168(45):3899-902.
- Bitsch M. Misbrugssaar. *SÅR* 2006;2
- Bredgaard R, Gniadecki R. 43-year-old women with tender nodules in facial scars. Case Essay 7. *Forum for Nordic Dermato-Venereology* 2006;(10):27-8.
- Danielsen AG, Thomsen JS, Svejgaard EL. [Severe skin rash in patients treated with terbinafine]. *Ugeskr Laeger* 2006;168(44):3825-6.
- Due E, Wulf HC. Cheilitis - the only presentation of photosensitivity. *J Eur Acad Dermatol Venereol* 2006;20(6):766-7.
- Faurschou A, Wulf HC. Treatment of multiple warts in a renal transplant recipient with decreased laser doses after application of a light absorbing dye. *Photodermatol Photoimmunol Photomed* 2006;22(5):265-6.
- Frokjaer VG, Strauss GI, Mehlsen J, Knudsen GM, Rasmussen V, Larsen FS. Autonomic dysfunction and impaired cerebral autoregulation in cirrhosis. *Clin Auton Res* 2006;16(3):208-16.
- Gjodsbol K, Christensen JJ, Karlsmark T, Jorgensen B, Klein BM, Krogfelt KA. Multiple bacterial species reside in chronic wounds: a longitudinal study. *Int Wound J* 2006;3(3):225-31.
- Gniadecki R. The Use of Cyclosporine in the Age of Biologics. *Forum for Nordic Dermato-Venereology* 6 A.D.;11(3):67-9.
- Gniadecki R. Desmoglein autoimmunity in the pathogenesis of pemphigus. *Autoimmunity* 2006;39(7):541-7.
- Gniadecki R, Haedersdal M. [Dermatology--new therapeutic possibilities. The Danish Society of Dermatology]. *Ugeskr Laeger* 2006;168(12):1213.
- Gniadecki R, Gajkowska B. Detection of cytomatrix proteins by immunogold embedment-free electron microscopy. In: Harris JR, Graham JM, Rickwood DJW, eds. *Cell Biology Techniques*. 2006:
- Gniadecki R. 6th World Congress on Melanoma (Meeting News). *Forum for Nordic Dermato-Venereology* 2006;10:73-4.
- Gniadecki R, Gniadecki M, Serup J. Examination of periodic fluctuations in cutaneous blood flow. In: Serup J, Jemec G, Grove G, eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:697-708.
- Gniadecki R, Vind-Kezunovic D. Are desmoglein autoantibodies essential for the immunopathogenesis of pemphigus vulgaris, or just "witnesses of disease"? *Exp Dermatol* 2006;(15):817-8.

- Gniaecka M, Serup J. Suction chamber method for measuring skin mechanical properties: the Dermaflex. In: Serup J, Jemec G, Grove G, eds., eds. Handbook of non-invasive methods and the skin. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:571-8.
- Groth L, Ortiz PG, Benfeldt E. Microdialysis Methodology for Sampling in the Skin. In: Serup J, Jemec G, Grove G, eds., eds. Handbook of non-invasive methods and the skin. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:433-54.
- Haedersdal M, Gotzsche PC. Laser and photoepilation for unwanted hair growth. Cochrane Database Syst Rev 2006;(4):CD004684.
- Haedersdal M, Wulf HC. Evidence-based review of hair removal using lasers and light sources. J Eur Acad Dermatol Venereol 2006;20(1):9-20.
- Hedelund L, Lerche C, Wulf HC, Haedersdal M. Carcinogenesis related to intense pulsed light and UV exposure: an experimental animal study. Lasers Med Sci 2006;21(4):198-201.
- Hedelund L, Due E, Bjerring P, Wulf HC, Haedersdal M. Skin rejuvenation using intense pulsed light: a randomized controlled split-face trial with blinded response evaluation. Arch Dermatol 2006;142(8):985-90.
- Hedelund L, Bjerring P, Egekvist H, Haedersdal M. Ablative versus non-ablative treatment of perioral rhytides. A randomized controlled trial with long-term blinded clinical evaluations and non-invasive measurements. Lasers Surg Med 2006;38(2):129-36.
- Holm EA, Wulf HC, Stegmann H, Jemec GB. Life quality assessment among patients with atopic eczema. Br J Dermatol 2006;154(4):719-25.
- Holm EA, Wulf HC, Thomassen L, Jemec GB. Instrumental assessment of atopic eczema: validation of transepidermal water loss, stratum corneum hydration, erythema, scaling, and edema. J Am Acad Dermatol 2006;55(5):772-80.
- Jorgensen B, Friis GJ, Gottrup F. Pain and quality of life for patients with venous leg ulcers: proof of concept of the efficacy of Biatain-Ibu, a new pain reducing wound dressing. Wound Repair Regen 2006;14(3):233-9.
- Jorgensen B, Bech-Thomsen N, Grenov B, Gottrup F. Effect of a new silver dressing on chronic venous leg ulcers with signs of critical colonisation. J Wound Care 2006;15(3):97-100.
- Kjaer SK, Olesen F, Toftager-Larsen K, Sand C, Strauss GI, Hoffmann TU, et al. [The first HPV vaccine is now available]. Ugeskr Laeger 2006;168(44):3827-8.
- Kobayasi T. Dermal elastic fibres in the inherited hypermobile disorders. J Dermatol Sci 2006;41(3):175-85.
- Kongshoj B, Thorleifsson A, Wulf HC. Pheomelanin and eumelanin in human skin determined by high-performance liquid chromatography and its relation to in vivo reflectance measurements. Photodermatol Photoimmunol Photomed 2006;22(3):141-7.
- Lambert S, Vind-Kezunovic D, Karvinen S, Gniadecki R. Ligand-independent activation of the EGFR by lipid raft disruption. J Invest Dermatol 2006;126(5):954-62.
- Lindblad AK, Kjellgren KI, Ring L, Maroti M, Serup J. The role of dermatologists, nurses and pharmacists in chronic dermatological treatment: patient and provider views and experiences. Acta Derm Venereol 2006;86(3):202-8.
- Lisby S, Faurschou A, Gniadecki R. The autocrine TNFalpha signalling loop in keratinocytes requires atypical PKC species and NF-kappaB activation but is independent of cholesterol-enriched membrane microdomains. Biochem Pharmacol 2007;73(4):526-33.

- Magid T, Fenger-Gron J, Nymann P, Hansen B. Svaer hypernatraemisk dehydrering hos collodion baby. *Ugeskr Laeger* 2006;10. oktober 2006
- Moller K, Wulf HC. Early lamp developments for phototherapy in dermatology. *Forum for Nordic Dermato-Venereology* 2006;(11):20-4.
- O'goshi K, Serup J. Safety of sodium fluorescein for in vivo study of skin. *Skin Res Technol* 2006;12(3):155-61.
- O'goshi K, Suihko C, Serup J. In vivo imaging of intradermal tattoos by confocal scanning laser microscopy. *Skin Res Technol* 2006;12(2):94-8.
- O'goshi K. Use of Compact Digital Camera for Snap Photography. In: Serup J, Jemec G, Grove G, eds., eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:89-94.
- O'goshi K. Suction chamber method for measurement of skin mechanics: The Cutometer. In: Serup J, Jemec G, Grove G, eds., eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:579-82.
- O'goshi K. Optical measurement of sebum excretion using opalescent film imprint: the Sebumeter. In: Serup J, Jemec G, Grove G, eds., eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:841-6.
- Rosner K, Ropke C, Pless V, Skovgaard GL. Late type apoptosis and apoptosis free lethal effect of quercetin in human melanoma. *Biosci Biotechnol Biochem* 2006;70(9):2169-77.
- Saunte DM, Holgersen JB, Haedersdal M, Strauss G, Bitsch M, Svendsen OL, et al. Prevalence of toe nail onychomycosis in diabetic patients. *Acta Derm Venereol* 2006;86(5):425-8.
- Serup J. How to Use Cyclosporine for Psoriasis Revisited. *Forum for Nordic Dermato-Venereology* 6 A.D.;11(3):66.
- Serup J, Lindblad AK, Maroti M, Kjellgren KI, Niklasson E, Ring L, et al. To follow or not to follow dermatological treatment--a review of the literature. *Acta Derm Venereol* 2006;86(3):193-7.
- Serup J. How to choose and use non-invasive methods. In: Serup J, Jemec G, Grove G, eds., eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:9-13.
- Serup J, Keiding J, Fullerton A, Gniaecka M, Gniadecki R. High-frequency examination of skin: introduction and guide. In: Serup J, Jemec G, Grove G, eds., eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:473-92.
- Serup J, Jemec G, Grove G. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press/Taylor and Francis Group; 2006.
- Skiveren J, Haedersdal M, Philipsen PA, Wiegell SR, Wulf HC. Morphine gel 0.3% does not relieve pain during topical photodynamic therapy: a randomized, double-blind, placebo-controlled study. *Acta Derm Venereol* 2006;86(5):409-11.
- Sondergaard K, Ullman S, Engelhart M, Jacobsen S. Systemisk sklerose (sklerodermi). In: Podenphant J, Jacobsen S, Manniche C, Steengaard-Pedersen K, eds. *Reumatologi*. 2nd ed. Copenhagen: FADL's Forlag; 2006:259-72.
- Thieden E, Philipsen PA, Wulf HC. Compliance and data reliability in sun exposure studies with diaries and personal, electronic UV dosimeters. *Photodermatol Photoimmunol Photomed* 2006;22(2):93-9.

Thieden E, Philipsen PA, Wulf HC. Ultraviolet radiation exposure pattern in winter compared with summer based on time-stamped personal dosimeter readings. *Br J Dermatol* 2006;154(1):133-8.

Warburg M, Ullman S, Jensen H, Pedersen H, Kobayashi T, Russell B, et al. Blepharophimosis, corneal vascularization, deafness, and acroosteolysis: a "new" syndrome? *Am J Med Genet A* 2006;140(24):2709-13.

Wiegell SR, Kongshoj B, Wulf HC. *Mycobacterium marinum* infection cured by photodynamic therapy. *Arch Dermatol* 2006;142(9):1241-2.

Wiegell SR, Wulf HC. Photodynamic therapy of acne vulgaris using methyl aminolaevulinate: a blinded, randomized, controlled trial. *Br J Dermatol* 2006;154(5):969-76.

Wiegell SR, Wulf HC. Photodynamic therapy of acne vulgaris using 5-aminolevulinic acid versus methyl aminolaevulinate. *J Am Acad Dermatol* 2006;54(4):647-51.

Wulf HC. Skin Aging. In: Schulz R, Noelker LS, Rockwood K, Sprott RL, eds. *The encyclopedia of aging*. 4th ed. NY, USA: Springer Publishing Company, Inc.; 2006:1077-81.

Wulf HC, Pavel S, Stender I, Bakker-Wensveen CA. Topical photodynamic therapy for prevention of new skin lesions in renal transplant recipients. *Acta Derm Venereol* 2006;86(1):25-8.

Wulf HC. Light sources, sunlight and radiation dosimetry. In: Serup J, Jemec GB, Grove G, eds. *Handbook of non-invasive methods and the skin*. 2nd ed. Boca Raton, FL, USA: CRC Press; 2006:981-9.

Zillmer R, Agren MS, Gottrup F, Karlsmark T. Biophysical effects of repetitive removal of adhesive dressings on peri-ulcer skin. *J Wound Care* 2006;15(5):187-91.

BBH 349 Audiologisk ambulatorium

Bryan KE, Wen KK, Zhu M, Rendtorff ND, Feldkamp M, Tranebjaerg L, et al. Effects of human deafness gamma-actin mutations (DFNA20/26) on actin function. *J Biol Chem* 2006;281(29):20129-39.

Eiberg H, Hansen L, Kjer B, Hansen T, Pedersen O, Bille M, et al. Autosomal dominant optic atrophy associated with hearing impairment and impaired glucose regulation caused by a missense mutation in the WFS1 gene. *J Med Genet* 2006;43(5):435-40.

Nielsen LH, Konradsson K. [Universal neonatal hearing screening. The Danish Society of Otolaryngology, Head and Neck Surgery]. *Ugeskr Laeger* 2006;168(12):1237.

Olusanya BO, Ruben RJ, Parving A. Reducing the burden of communication disorders in the developing world: an opportunity for the millennium development project. *JAMA* 2006;296(4):441-4.

Rendtorff ND, Zhu M, Fagerheim T, Antal TL, Jones M, Teslovich TM, et al. A novel missense mutation in ACTG1 causes dominant deafness in a Norwegian DFNA20/26 family, but ACTG1 mutations are not frequent among families with hereditary hearing impairment. *Eur J Hum Genet* 2006;14(10):1097-105.

Soini S, Ibarreta D, Anastasiadou V, Ayme S, Braga S, Cornel M, et al. The interface between assisted reproductive technologies and genetics: technical, social, ethical and legal issues. *Eur J Hum Genet* 2006;14(5):588-645.

Warburg M, Ullman S, Jensen H, Pedersen H, Kobayashi T, Russell B, et al. Blepharophimosis, corneal vascularization, deafness, and acroosteolysis: a "new" syndrome? *Am J Med Genet A* 2006;140(24):2709-13.

BBH 380 Kardiologisk klinik Y

- Abdulla J, Pogue J, Abildstrom SZ, Kober L, Christensen E, Pfeffer MA, et al. Effect of angiotensin-converting enzyme inhibition on functional class in patients with left ventricular systolic dysfunction--a meta-analysis. *Eur J Heart Fail* 2006;8(1):90-6.
- Abdulla J, Barlera S, Latini R, Kjoller-Hansen L, Sogaard P, Christensen E, et al. A systematic review: Effect of angiotensin converting enzyme inhibition on left ventricular volumes and ejection fraction in patients with a myocardial infarction and in patients with left ventricular dysfunction. *Eur J Heart Fail* 2006;
- Abdulla J, Haarbo J, Kober L, Torp-Pedersen C. Impact of implantable defibrillators and resynchronization therapy on outcome in patients with left ventricular dysfunction--a meta-analysis. *Cardiology* 2006;106(4):249-55.
- Abdulla J, Kober L, Christensen E, Torp-Pedersen C. Effect of beta-blocker therapy on functional status in patients with heart failure--a meta-analysis. *Eur J Heart Fail* 2006;8(5):522-31.
- Anderson LJ, Westwood MA, Prescott E, Walker JM, Pennell DJ, Wonke B. Development of thalassaemic iron overload cardiomyopathy despite low liver iron levels and meticulous compliance to desferrioxamine. *Acta Haematol* 2006;115(1-2):106-8.
- Bergelt C, Prescott E, Gronbaek M, Koch U, Johansen C. Stressful life events and cancer risk. *Br J Cancer* 2006;95(11):1579-81.
- Boas Soja AM, Zwisler AD, Melchior T, Hommel E, Torp-Pedersen C, Madsen M. Prevalence and characteristics of impaired glucose metabolism in patients referred to comprehensive cardiac rehabilitation: the DANSUK study. *Eur J Cardiovasc Prev Rehabil* 2006;13(5):784-90.
- Buch P, Rasmussen S, Gislason GH, Rasmussen JN, Kober L, Gadsboll N, et al. Temporal decline in the prognostic impact of a recurrent acute myocardial infarction 1985 to 2002. *Heart* 2007;93(2):210-5.
- Cleland JG, Charlesworth A, Lubsen J, Swedberg K, Remme WJ, Erhardt L, et al. A comparison of the effects of carvedilol and metoprolol on well-being, morbidity, and mortality (the "patient journey") in patients with heart failure: a report from the Carvedilol Or Metoprolol European Trial (COMET). *J Am Coll Cardiol* 2006;47(8):1603-11.
- Eldrup N, Sillesen H, Prescott E, Nordestgaard BG. Ankle brachial index, C-reactive protein, and central augmentation index to identify individuals with severe atherosclerosis. *Eur Heart J* 2006;27(3):316-22.
- Friberg J, Gislason GH, Gadsboll N, Rasmussen JN, Rasmussen S, Abildstrom SZ, et al. Temporal trends in the prescription of vitamin K antagonists in patients with atrial fibrillation. *J Intern Med* 2006;259(2):173-8.
- Geismar K, Stoltze K, Sigurd B, Gyntelberg F, Holmstrup P. Periodontal disease and coronary heart disease. *J Periodontol* 2006;77(9):1547-54.
- Gislason GH, Jacobsen S, Rasmussen JN, Rasmussen S, Buch P, Friberg J, et al. Risk of death or reinfarction associated with the use of selective cyclooxygenase-2 inhibitors and nonselective nonsteroidal antiinflammatory drugs after acute myocardial infarction. *Circulation* 2006;113(25):2906-13.
- Gislason GH, Rasmussen JN, Abildstrom SZ, Gadsboll N, Buch P, Friberg J, et al. Long-term compliance with beta-blockers, angiotensin-converting enzyme inhibitors, and statins after acute myocardial infarction. *Eur Heart J* 2006;27(10):1153-8.
- Gislason GH, Gadsboll N, Quinones MA, Kober L, Seibaek M, Burchardt H, et al. The reliability of echocardiographic left ventricular wall motion index to identify high-risk patients for multicenter studies. *Echocardiography* 2006;23(1):1-6.

Godtfredsen NS, Prescott E, Vestbo J, Osler M. Smoking reduction and biomarkers in two longitudinal studies. *Addiction* 2006;101(10):1516-22.

Godtfredsen NS, Prescott E, Osler M. [Smoking reduction is associated with a reduced the risk of lung cancer--a secondary publication]. *Ugeskr Laeger* 2006;168(7):695-7.

Gustafsson F, Torp-Pedersen C, Seibaek M, Burchardt H, Nielsen OW, Kober L. A history of arterial hypertension does not affect mortality in patients hospitalised with congestive heart failure. *Heart* 2006;92(10):1430-3.

Gustafsson I, Malmberg K, Ryden L, Wedel H, Birkeland K, Bootsma A, et al. [Metabolic control by means of insulin in patients with type 2 diabetes and acute myocardial infarction (DIGAMI 2): effects on mortality and morbidity--secondary publication]. *Ugeskr Laeger* 2006;168(6):581-4.

Hansen TW, Staessen JA, Torp-Pedersen C, Rasmussen S, Li Y, Dolan E, et al. Ambulatory arterial stiffness index predicts stroke in a general population. *J Hypertens* 2006;24(11):2247-53.

Hansen TW, Jeppesen J, Rasmussen S, Ibsen H, Torp-Pedersen C. Ambulatory blood pressure monitoring and risk of cardiovascular disease: a population based study. *Am J Hypertens* 2006;19(3):243-50.

Hermann TS, Li W, Dominguez H, Ihlemann N, Rask-Madsen C, Major-Pedersen A, et al. Quinapril treatment increases insulin-stimulated endothelial function and adiponectin gene expression in patients with type 2 diabetes. *J Clin Endocrinol Metab* 2006;91(3):1001-8.

Jeppesen J, Hansen TW, Rasmussen S, Ibsen H, Torp-Pedersen C. Metabolic syndrome, low-density lipoprotein cholesterol, and risk of cardiovascular disease: a population-based study. *Atherosclerosis* 2006;189(2):369-74.

Jespersen CM, Is-Nielsen B, Damgaard M, Hansen JF, Hansen S, Helo OH, et al. Randomised placebo controlled multicentre trial to assess short term clarithromycin for patients with stable coronary heart disease: CLARICOR trial. *BMJ* 2006;332(7532):22-7.

Kveiborg B, Christiansen B, Major-Petersen A, Torp-Pedersen C. Metabolic effects of beta-adrenoceptor antagonists with special emphasis on carvedilol. *Am J Cardiovasc Drugs* 2006;6(4):209-17.

Larroude CE, Jensen BT, Agner E, Toft E, Torp-Pedersen C, Wachtell K, et al. Beat-to-beat QT dynamics in paroxysmal atrial fibrillation. *Heart Rhythm* 2006;3(6):660-4.

Moller JE, Kober L, Torp-Pedersen C. Is left ventricular diastolic function an independent marker of prognosis after acute myocardial infarction? *Int J Cardiol* 2006;107(2):282-3.

Nielsen NR, Kristensen TS, Prescott E, Larsen KS, Schnohr P, Gronbaek M. Perceived stress and risk of ischemic heart disease: causation or bias? *Epidemiology* 2006;17(4):391-7.

Nilsson B, Chen X, Pehrson S, Svendsen JH. The effectiveness of a high output/short duration radiofrequency current application technique in segmental pulmonary vein isolation for atrial fibrillation. *Europace* 2006;8(11):962-5.

Nilsson B, Chen X, Pehrson S, Kober L, Hilden J, Svendsen JH. Recurrence of pulmonary vein conduction and atrial fibrillation after pulmonary vein isolation for atrial fibrillation: a randomized trial of the ostial versus the extraostial ablation strategy. *Am Heart J* 2006;152(3):537-8.

Osbak P, Torp-Pedersen C, Pedersen O. Preventing atrial fibrillation with inhibition of the renin angiotensin system. *Helic Compendium Series Cardiovascular* 2006;4(1)

Osler M, Petersen L, Prescott E, Teasdale TW, Sorensen TI. Genetic and environmental influences on the relation between parental social class and mortality. *Int J Epidemiol* 2006;35(5):1272-7.

Pedersen OD, Sondergaard P, Nielsen T, Nielsen SJ, Nielsen ES, Falstie-Jensen N, et al. Atrial fibrillation, ischaemic heart disease, and the risk of death in patients with heart failure. *Eur Heart J* 2006;27(23):2866-70.

Pedersen OD, Abildstrom SZ, Ottesen MM, Rask-Madsen C, Bagger H, Kober L, et al. Increased risk of sudden and non-sudden cardiovascular death in patients with atrial fibrillation/flutter following acute myocardial infarction. *Eur Heart J* 2006;27(3):290-5.

Prescott E. Cardiovascular pre-participation screening of young competitive athletes for prevention of sudden death: proposal for a common European protocol. *Eur Heart J* 2006;27(23):2904-5.

Rasmussen JN, Rasmussen S, Gislason GH, Buch P, Abildstrom SZ, Kober L, et al. Mortality after acute myocardial infarction according to income and education. *J Epidemiol Community Health* 2006;60(4):351-6.

Sajadieh A, Nielsen OW, Rasmussen V, Ole HH, Hansen JF. Increased ventricular ectopic activity in relation to C-reactive protein, and NT-pro-brain natriuretic peptide in subjects with no apparent heart disease. *Pacing Clin Electrophysiol* 2006;29(11):1188-94.

Sajadieh A, Nielsen OW, Rasmussen V, Hein HO, Hansen JF. C-reactive protein, heart rate variability and prognosis in community subjects with no apparent heart disease. *J Intern Med* 2006;260(4):377-87.

Sajadieh A, Nielsen OW, Rasmussen V, Hein HO, Frederiksen BS, Davanlou M, et al. Ventricular arrhythmias and risk of death and acute myocardial infarction in apparently healthy subjects of age ≥ 55 years. *Am J Cardiol* 2006;97(9):1351-7.

Valeur N, Nielsen OW, McMurray JJ, Torp-Pedersen C, Kober L. Anaemia is an independent predictor of mortality in patients with left ventricular systolic dysfunction following acute myocardial infarction. *Eur J Heart Fail* 2006;8(6):577-84.

Vestbo J, Prescott E, Almdal T, Dahl M, Nordestgaard BG, Andersen T, et al. Body mass, fat-free body mass, and prognosis in patients with chronic obstructive pulmonary disease from a random population sample: findings from the Copenhagen City Heart Study. *Am J Respir Crit Care Med* 2006;173(1):79-83.

Willum-Hansen T, Staessen JA, Torp-Pedersen C, Rasmussen S, Thijs L, Ibsen H, et al. Prognostic value of aortic pulse wave velocity as index of arterial stiffness in the general population. *Circulation* 2006;113(5):664-70.

Zwisler AD, Nissen N, Madsen M. Hjerterehabilitering - en medicinsk teknologivurdering. Evidens fra litteraturen og DANREHAB forsoget. 2006.

BBH 460 Geriatrisk klinik G

Avlund K, Rantanen T, Schroll M. Factors underlying tiredness in older adults. *Aging Clin Exp Res* 2006;18:1-10.

Avlund K, Rantanen T, Schroll M. Tiredness and subsequent disability in older adults: The role of walking limitations. *J Gerontol A Biol Sci Med Sci* 2006;61(11):1201-5.

Christensen U, Stovring N, Schultz-Larsen K, Schroll M, Avlund K. Functional ability at age 75: is there an impact of physical inactivity from middle age to early old age? *Scand J Med Sci Sports* 2006;16(4):245-51.

Costa JC, Hesselbo B, Poulsen I, Norregard JC, Schroll M, Kirchhoff M. [The significance of cataract surgery and balance function of the elderly]. *Ugeskr Laeger* 2006;168(11):1124-8.

Henrard JC, Ankri J, Frijters D, Carpenter I, Topinkova E, Garms-Homolova V, et al. Proposal of a service delivery integration index of home care for older persons: application in several European cities. *Int J Integr Care* 2006;6:e11.

Houborg KB, Jensen MB, Rasmussen P, Gandrup P, Schroll M, Laurberg S. Postoperative physical training following colorectal surgery: a randomised, placebo-controlled study. *Scand J Surg* 2006;95(1):17-22.

Jonsson PV, Finne-Soveri H, Jensdottir AB, Ljunggren G, Bucht G, Grue EV, et al. Co-morbidity and functional limitation in older patients underreported in medical records in Nordic Acute Care Hospitals when compared with the MDS-AC instrument. *Age Ageing* 2006;35(4):434-8.

Larsen K, Schroll M, Avlund K. Depressive symptomatology at age 75 and subsequent use of health and social services. *Arch Gerontol Geriatr* 2006;42(2):125-39.

Moe C. [Dementia--diagnosis and treatment in a geriatric memory clinic]. *Ugeskr Laeger* 2006;168(22):2167-71.

Poulsen I, Rahm H, I, Schroll M. Nutritional status and associated factors on geriatric admission. *J Nutr Health Aging* 2006;10(2):84-90.

BBH 480 Kirurgisk gastroenterologisk afd. K

Aagren MS, Ostfeld U, Kallehave F, Gong Y, Raffn K, Crawford ME, et al. A randomized, double-blind, placebo-controlled multicenter trial evaluating topical zinc oxide for acute open wounds following pilonidal disease excision. *Wound Repair Regen* 2006;14(5):526-35.

Aagren MS, Andersen TL, Mirastschijski U, Syk I, Schiodt CB, Surve V, et al. Action of matrix metalloproteinases at restricted sites in colon anastomosis repair: an immunohistochemical and biochemical study. *Surgery* 2006;140(1):72-82.

Bertelsen CA, Wille-Jorgensen P. Use of topical negative pressure to manage a complex wound with a vesicocutaneous fistula. *J Wound Care* 2006;15(4):172-3.

Bertelsen CA, Meisner S, West F, Wille-Jorgensen PA. [Treatment of colorectal obstruction with self-expanding metal stents]. *Ugeskr Laeger* 2006;168(9):907-11.

Bülow S, Bulut O, Christensen IJ, Harling H. Transanal stent in anterior resection does not prevent anastomotic leakage. *Colorectal Dis* 2006;8(6):494-6.

Grayson RE, Yamakoshi Y, Wood EJ, Aagren MS. The effect of the amelogenin fraction of enamel matrix proteins on fibroblast-mediated collagen matrix reorganization. *Biomaterials* 2006;27(15):2926-33.

Hansen MB, Pilsgaard B, Meisner S. [Can endoscopic retrograde cholangiopancreatography be made a low-risk procedure?]. *Ugeskr Laeger* 2006;168(25):2462-7.

Johnson LB, Adawi D, Aagren MS, Jørgensen LN, Wittgren L, Mattsson S, et al. Combination of pre-operative radiotherapy and surgery suppresses local accumulation of collagen and TGF-beta1 in rats. *J Surg Res* 2006;133(2):136-42.

Jørgensen LN, Ravlo O, Richelsen B. [The obese patient]. *Ugeskr Laeger* 2006;168(49):4303-5.

Lansdown AB, Mirastschijski U, Stubbs N, Scanlon E, Aagren MS. Zinc in wound healing: Theoretical, experimental, and clinical aspects. *Wound Repair Regen* 2007;15(1):2-16.

Lykke J, Hansen MB, Ovesen H, Meisner S. [Capsule endoscopy detection of metastasis of a malignant melanoma in the small intestine]. *Ugeskr Laeger* 2006;168(41):3533-4.

Lykke J, Hansen MB, Meisner S. Fecal incontinence treated with percutaneous endoscopic cecostomy. *Endoscopy* 2006;38(9):950.

Lykke J, Hansen MB, Meisner S. [Treatment by stent of a benign stricture of the colon complicated by a fistula]. *Ugeskr Laeger* 2006;168(8):804-5.

Lykke J. [Heparin and cancer]. *Ugeskr Laeger* 2006;168(50):4397-401.

Mirastschijski U, Bugdahl R, Rollman O, Johansson BR, Aagren MS. Epithelial regeneration from bioengineered skin explants in culture. *Br J Dermatol* 2006;154(1):42-9.

Nielsen JD, Rasmussen HM, Husted SE. [The antithrombotic-treated patient]. *Ugeskr Laeger* 2006;168(49):4296-9.

Rasmussen MS, Jørgensen LN, Wille-Jørgensen P, Nielsen JD, Horn A, Mohn AC, et al. Prolonged prophylaxis with dalteparin to prevent late thromboembolic complications in patients undergoing major abdominal surgery: a multicenter randomized open-label study. *J Thromb Haemost* 2006;4(11):2384-90.

Renehan AG, Wille-Jørgensen P. Towards a more prescriptive follow-up regimen for colorectal cancer. *Colorectal Dis* 2006;8(8):623-5.

Sorensen LT, Jørgensen LN, Zillmer R, Vange J, Hemmingsen U, Gottrup F. Transdermal nicotine patch enhances type I collagen synthesis in abstinent smokers. *Wound Repair Regen* 2006;14(3):247-51.

Sorensen LT. Effect of lifestyle, gender and age on collagen formation and degradation. *Hernia* 2006;10(6):456-61.

Toft NAE, Leinum LRR, Glindvad J. Akutte patienter oplever flere smerter. *Sygeplejersken* 2006;14:456-61.

Wille-Jørgensen P, Gluud C. Prospective registration of clinical trials. *Colorectal Dis* 2006;8(1):1.

Zillmer R, Aagren MS, Gottrup F, Karlsmark T. Biophysical effects of repetitive removal of adhesive dressings on peri-ulcer skin. *J Wound Care* 2006;15(5):187-91.

BBH 510 Børne- og ungdomspsykiatrisk afdeling F

Fagerlund B, Pagsberg AK, Hemmingsen RP. Cognitive deficits and levels of IQ in adolescent onset schizophrenia and other psychotic disorders. *Schizophr Res* 2006;85(1-3):30-9.

Fagerlund B. Early-onset schizophrenia: a subgroup with progressively deteriorating cognitive deficits? *Cambridge Medical Ltd* 2006;27-30.

Jepsen JRM&M. ADHD and the symptom dimensions inattention, impulsivity, and hyperactivity. *Nordic Psychology* 2006;58:108-35.

Pagsberg AK, Baare WF, Raabjerg Christensen AM, Fagerlund B, Hansen MB, Labianca J, et al. Structural brain abnormalities in early onset first-episode psychosis. *J Neural Transm* 2006;

Pagsberg AK. [Schizophrenia in children and adolescents. The Danish Society of Child and Adolescent Psychiatry]. *Ugeskr Laeger* 2006;168(12):1211.

BBH 530 Intern Medicinsk Klinik I

Abdulla J, Kober L, Christensen E, Torp-Pedersen C. Effect of beta-blocker therapy on functional status in patients with heart failure--a meta-analysis. *Eur J Heart Fail* 2006;8(5):522-31.

Abdulla J, Pogue J, Abildstrom SZ, Kober L, Christensen E, Pfeffer MA, et al. Effect of angiotensin-converting enzyme inhibition on functional class in patients with left ventricular systolic dysfunction--a meta-analysis. *Eur J Heart Fail* 2006;8(1):90-6.

Akram K, Pedersen-Bjergaard U, Borch-Johnsen K, Thorsteinsson B. Frequency and risk factors of severe hypoglycemia in insulin-treated type 2 diabetes: a literature survey. *J Diabetes Complications* 2006;20(6):402-8.

Akram K, Pedersen-Bjergaard U, Carstensen B, Borch-Johnsen K, Thorsteinsson B. Frequency and risk factors of severe hypoglycaemia in insulin-treated Type 2 diabetes: a cross-sectional survey. *Diabet Med* 2006;23(7):750-6.

Carle A, Laurberg P, Pedersen IB, Knudsen N, Perrild H, Ovesen L, et al. Epidemiology of subtypes of hypothyroidism in Denmark. *Eur J Endocrinol* 2006;154(1):21-8.

Carle A, Laurberg P, Knudsen N, Perrild H, Ovesen L, Rasmussen LB, et al. Thyroid peroxidase and thyroglobulin auto-antibodies in patients with newly diagnosed overt hypothyroidism. *Autoimmunity* 2006;39(6):497-503.

D'amico G, Garcia-Tsao G, Abraldes J, Christensen E, Ginés P, Kim W, Merli M et al. Consensus Statements: Predictive Models in Portal Hypertension. In: De Franchis R, ed. *Portal Hypertension IV: Proceedings of the Fourth Baveno International Consensus Workshop*. Oxford: Blackwell; 2006:101-2.

Garcia-Tsao G, D'amico G, Abraldes J, Schepis F, Merli M, Kim W, Christensen E. Predictive Models in Portal Hypertension. In: De Franchis R, ed. *Portal Hypertension IV. Proceedings of the Fourth Baveno International Consensus Workshop*. Oxford: Blackwell; 2006:47-100.

Gluud LL, Kjaer MS, Christensen E. Terlipressin for hepatorenal syndrome. *Cochrane Database Syst Rev* 2006;(4):CD005162.

Hoi-Hansen T, Pedersen-Bjergaard U, Thorsteinsson B. Reply to comment on: Hoi-Hansen T, Pedersen-Bjergaard U, Thorsteinsson B (2005) The Somogyi phenomenon revisited using continuous glucose monitoring in daily life. *Diabetologia* 48:2437-2438. *Diabetologia* 2006;49(7):1708-9.

Holm MR, Hansen BR, Roder ME. [Diabetic ketoacidosis in an HIV-infected patient undergoing antiretroviral therapy]. *Ugeskr Laeger* 2006;168(9):920-1.

Melander A, Folino-Gallo P, Walley T, Schwabe U, Groop PH, Klaukka T, et al. Utilisation of antihyperglycaemic drugs in ten European countries: different developments and different levels. *Diabetologia* 2006;49(9):2024-9.

Saunte DM, Holgersen JB, Haedersdal M, Strauss G, Bitsch M, Svendsen OL, et al. Prevalence of toe nail onychomycosis in diabetic patients. *Acta Derm Venereol* 2006;86(5):425-8.

Svendsen OL, Toubro S, Bruun JM, Linnet JP, Kroustrup JP. [Guidelines for treatment of overweight/obesity, 2006]. *Ugeskr Laeger* 2006;168(2):180-2.

Svendsen OL, Toubro S, Breum L, Bruun JM, Astrup AV. [Drug treatment of obesity]. *Ugeskr Laeger* 2006;168(2):163-7.

BBH 540 Palliativ medicinsk afdeling

Goldschmidt D, Schmidt L, Krasnik A, Christensen U, Groenvold M. Expectations to and evaluation of a palliative home-care team as seen by patients and carers. *Support Care Cancer* 2006;14(12):1232-40.

Groenvold M, Petersen MA, Aaronson NK, Arraras JI, Blazeby JM, Bottomley A, et al. EORTC QLQ-C15-PAL: the new standard in the assessment of health-related quality of life in advanced cancer? *Palliat Med* 2006;20(2):59-61.

Groenvold M, Fayers PM, Petersen MA, Mouridsen HT. Chemotherapy versus ovarian ablation as adjuvant therapy for breast cancer: impact on health-related quality of life in a randomized trial. *Breast Cancer Res Treat* 2006;98(3):275-84.

Groenvold M, Petersen MA, Aaronson NK, Arraras JI, Blazeby JM, Bottomley A, et al. The development of the EORTC QLQ-C15-PAL: a shortened questionnaire for cancer patients in palliative care. *Eur J Cancer* 2006;42(1):55-64.

Groenvold M, Nielsen SM, Petersen MAa. Er der social ulighed i forekomsten af fysiske og psykiske symptomer blandt patienter, der faar kemoterapi mod brystkraeft? In: Vallgaard S, Koch L, eds. *Forskel og lighed i sundhed og sygdom*. Kobenhavn: Munksgaard Danmark; 2006:109-22.

Munch TN, Stromgren AS, Pedersen L, Petersen MA, Hoermann L, Groenvold M. Multidimensional measurement of fatigue in advanced cancer patients in palliative care: an application of the multidimensional fatigue inventory. *J Pain Symptom Manage* 2006;31(6):533-41.

Petersen MA, Larsen H, Pedersen L, Sonne N, Groenvold M. Assessing health-related quality of life in palliative care: comparing patient and physician assessments. *Eur J Cancer* 2006;42(8):1159-66.

Petersen MA, Groenvold M, Aaronson N, Fayers P, Sprangers M, Bjorner JB. Multidimensional computerized adaptive testing of the EORTC QLQ-C30: basic developments and evaluations. *Qual Life Res* 2006;15(3):315-29.

Petersen MA, Groenvold M, Aaronson N, Blazeby J, Brandberg Y, de GA, et al. Item response theory was used to shorten EORTC QLQ-C30 scales for use in palliative care. *J Clin Epidemiol* 2006;59(1):36-44.

Rydahl-Hansen S. Den total smerte. *Klinisk Sygepleje* 2006;20:15-23.

Rydahl-Hansen S, Elsborg J, Lund-Jacobsen M, Zielke S. Strategi for klinisk sygeplejeforskning - erfaringer fra Bispebjerg Hospital. *Sygeplejersken* 2006;20:48-53.

Scott NW, Fayers PM, Bottomley A, Aaronson NK, de GA, Groenvold M, et al. Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. *Qual Life Res* 2006;15(6):1103-15.

Stromgren AS, Sjogren P, Goldschmidt D, Petersen MA, Pedersen L, Groenvold M. Symptom priority and course of symptomatology in specialized palliative care. *J Pain Symptom Manage* 2006;31(3):199-206.

Watt T, Groenvold M, Rasmussen AK, Bonnema SJ, Hegedus L, Bjorner JB, et al. Quality of life in patients with benign thyroid disorders. A review. *Eur J Endocrinol* 2006;154(4):501-10.

BBH 559 Arbejds- og miljømedicinsk klinik inkl. Østerbrounderøgelsen

Bach-Mortensen P, Hyldstrup L, Appleyard M, Hindso K, Gebuhr P, Sonne-Holm S. Digital x-ray radiogrammetry identifies women at risk of osteoporotic fracture: results from a prospective study. *Calcif Tissue Int* 2006;79(1):1-6.

Borritz M, Rugulies R, Bjorner JB, Villadsen E, Mikkelsen OA, Kristensen TS. Burnout among employees in human service work: design and baseline findings of the PUMA study. *Scand J Public Health* 2006;34(1):49-58.

- Borritz M, Rugulies R, Christensen KB, Villadsen E, Kristensen TS. Burnout as a predictor of self-reported sickness absence among human service workers: prospective findings from three year follow up of the PUMA study. *Occup Environ Med* 2006;63(2):98-106.
- Geismar K, Stoltze K, Sigurd B, Gyntelberg F, Holmstrup P. Periodontal disease and coronary heart disease. *J Periodontol* 2006;77(9):1547-54.
- Gyntelberg F, Suadicani P, Rix BA, Skov P, Nielsen PE, Juhl E. Quality of hospital care evaluated by Danish nurses and doctors--based on experience from their own or a close family member's hospitalization. *Dan Med Bull* 2006;53(3):342-8.
- Hawkes AL, Mortensen OS. Up to one third of individual cardiac patients have a decline in quality of life post-intervention. *Scand Cardiovasc J* 2006;40(4):214-8.
- Overgaard D, Gamborg M, Gyntelberg F, Heitmann BL. Psychological workload and weight gain among women with and without familial obesity. *Obesity (Silver Spring)* 2006;14(3):458-63.
- Sajadieh A, Nielsen OW, Rasmussen V, Hein HO, Hansen JF. C-reactive protein, heart rate variability and prognosis in community subjects with no apparent heart disease. *J Intern Med* 2006;260(4):377-87.
- Sajadieh A, Nielsen OW, Rasmussen V, Hein HO, Frederiksen BS, Davanlou M, et al. Ventricular arrhythmias and risk of death and acute myocardial infarction in apparently healthy subjects of age ≥ 55 years. *Am J Cardiol* 2006;97(9):1351-7.

BBH 570 Klinisk farmakologisk enhed

- Adrian CL, Olin HB, Dalhoff K, Jacobsen J. In vivo human buccal permeability of nicotine. *Int J Pharm* 2006;311(1-2):196-202.
- Andersen SE. [Drug dispensing errors]. *Ugeskr Laeger* 2006;168(48):4185-8.
- Bjarnason NH, Jurlander J, Dalhoff K. Recurrent thrombophlebitis in association with CHOEP-14. *Leuk Lymphoma* 2006;47(6):1151-2.
- Bjarnason NH, Rode L, Dalhoff K. Fetal exposure to pimozide: a case report. *J Reprod Med* 2006;51(5):443-4.
- Bjarnason NH, Munkner R, Kampmann JP, Tornoe CW, Ladefoged S, Dalhoff K. Optimizing lithium dosing in hemodialysis. *Ther Drug Monit* 2006;28(2):262-6.
- Jurgens G. [Poison control center at the H:S Bispebjerg Hospital open for the public]. *Ugeskr Laeger* 2006;168(38):3231.
- Jurgens G, Reuther LO, Pedersen BD, Jacobsen P. En landsdaekkende forgiftningsraadgivning for borgere og sundhedspersonale. *Maanedsskrift for praktisk laegegerning* 2006;84(9):1011-4.
- Penninga EI, Bjerrum OW. Polycythaemia vera and essential thrombocythaemia: current treatment strategies. *Drugs* 2006;66(17):2173-87.
- Reuther LO, Andersen SE. [Combination therapy with acetylsalicylic acid and non-aspirin nonsteroidal anti-inflammatory drugs]. *Ugeskr Laeger* 2006;168(13):1310-4.
- Schmidt DR, Hogh B, Andersen O, Hansen SH, Dalhoff K, Petersen E. Treatment of infants with congenital toxoplasmosis: tolerability and plasma concentrations of sulfadiazine and pyrimethamine. *Eur J Pediatr* 2006;165(1):19-25.

BBH 580 Center for forsk. og udvikl. af ældreomr

Christensen U, Stovring N, Schultz-Larsen K, Schroll M, Avlund K. Functional ability at age 75: is there an impact of physical inactivity from middle age to early old age? *Scand J Med Sci Sports* 2006;16(4):245-51.

la Cour P, Avlund K, Schultz-Larsen K. Religion and survival in a secular region. A twenty year follow-up of 734 Danish adults born in 1914. *Soc Sci Med* 2006;62(1):157-64.

BBH 590 Institut for sygdomsforebyggelse

Astrup AV, Rossner S, Sorensen TI. [Alternative causes of obesity]. *Ugeskr Laeger* 2006;168(2):135-7.

Berentzen T, Madsbad S, Sorensen TI, Astrup AV. [The importance of physical activity and fitness in avoiding the complications of obesity]. *Ugeskr Laeger* 2006;168(2):144-9.

Berentzen T, Sorensen TI. Effects of intended weight loss on morbidity and mortality: possible explanations of controversial results. *Nutr Rev* 2006;64(11):502-7.

Blaak EE, Hul G, Verdich C, Stich V, Martinez A, Petersen M, et al. Fat oxidation before and after a high fat load in the obese insulin-resistant state. *J Clin Endocrinol Metab* 2006;91(4):1462-9.

Black, E. ADIGEN - recruitment and phenotype characterization of a cohort for studies of anthropometrics, epidemiology, pathophysiology and molecular pathogenesis of major phenotypes of obesity (ph.d.-afhandling). København: eget forlag; 2006:1-81. Forsvaret den 2006 ved Dept. of Nutrition, Royal Danish Veterinary & Agricultural University.

Brasch-Andersen C, Tan Q, Borglum AD, Haagerup A, Larsen TR, Vestbo J, et al. Significant linkage to chromosome 12q24.32-q24.33 and identification of SFRS8 as a possible asthma susceptibility gene. *Thorax* 2006;61(10):874-9.

Buemann B, Astrup A, Pedersen O, Black E, Holst C, Toubro S, et al. Possible role of adiponectin and insulin sensitivity in mediating the favorable effects of lower body fat mass on blood lipids. *J Clin Endocrinol Metab* 2006;91(5):1698-704.

Christensen U, Haagerup A, Binderup HG, Vestbo J, Kruse TA, Borglum AD. Family based association analysis of the IL2 and IL15 genes in allergic disorders. *Eur J Hum Genet* 2006;14(2):227-35.

Due P, Heitmann BL, Sorensen TI. [The obesity epidemic in Denmark]. *Ugeskr Laeger* 2006;168(2):129-32.

Echwald SM, Larsen PJ, Pedersen OB, Sorensen TI. [The genetics of obesity]. *Ugeskr Laeger* 2006;168(2):150-2.

Ekstrom M, Mortensen EL, Sorensen HJ, Mednick SA. Premorbid personality in schizophrenia spectrum: A prospective study. *Nord J Psychiatry* 2006;60:417-22.

Halkjaer J, Tjonneland A, Thomsen BL, Overvad K, Sorensen TI. Intake of macronutrients as predictors of 5-y changes in waist circumference. *Am J Clin Nutr* 2006;84(4):789-97.

Hare-Bruun H, Flint A, Heitmann BL. Glycemic index and glycemic load in relation to changes in body weight, body fat distribution, and body composition in adult Danes. *Am J Clin Nutr* 2006;84(4):871-9.

Iqbal SI, Helge JW, Heitmann BL. Do energy density and dietary fiber influence subsequent 5-year weight changes in adult men and women? *Obesity (Silver Spring)* 2006;14(1):106-14.

- Jakobsen MU, Bysted A, Andersen NL, Heitmann BL, Hartkopp HB, Leth T, et al. Intake of ruminant trans fatty acids in the Danish population aged 1-80 years. *Eur J Clin Nutr* 2006;60(3):312-8.
- Jakobsen MU, Bysted A, Andersen NL, Heitmann BL, Hartkopp HB, Leth T, et al. Intake of ruminant trans fatty acids and risk of coronary heart disease-an overview. *Atheroscler Suppl* 2006;7(2):9-11.
- Karnehed N, Tynelius P, Heitmann BL, Rasmussen F. Physical activity, diet and gene-environment interactions in relation to body mass index and waist circumference: the Swedish young male twins study. *Public Health Nutr* 2006;9(7):851-8.
- Kroustrup JP, Sorensen TI, Jensen L. [Obesity: prevention and treatment. The Danish Society of Obesity Research]. *Ugeskr Laeger* 2006;168(12):1205.
- Larsen, L. H. Genetic aspects of human obesity - studies of the candidate genes: *MC4R*, *GHSR*, *ghrelin*, *PPARG2* and *ESRRA* (ph.d.-afhandling). Kobenhavn: eget forlag; 20-4-0006:1-42. Forsvaret den 2006 ved Kobenhavns Universitet, Det Sundhedsvidenskabelige Fakultet.
- Larsen PJ, Echwald SM, Sorensen TI, Pedersen OB. [Molecular pathogenesis in monogenic and polygenic obesity]. *Ugeskr Laeger* 2006;168(2):152-5.
- Larsen TM, Flint A, Heitmann BL. [Prevention of obesity]. *Ugeskr Laeger* 2006;168(2):155-9.
- Lokkegaard E, Jovanovic Z, Heitmann BL, Keiding N, Ottesen B, Pedersen AT. The association between early menopause and risk of ischaemic heart disease: influence of Hormone Therapy. *Maturitas* 2006;53(2):226-33.
- Michaelsen KF, Molgaard C, Richelsen B, Heitmann BL. [Prevention and treatment of obesity in children]. *Ugeskr Laeger* 2006;168(2):172-5.
- Mortensen EL, Jensen HH, Sanders SA, Reinisch JM. Associations between volume of alcohol consumption and social status, intelligence, and personality in a sample of young adult Danes. *Scand J Psychol* 2006;47(5):387-98.
- Mortensen LH, Siegler IC, Barefoot JC, Gronbaek M, Sorensen TI. Prospective associations between sedentary lifestyle and BMI in midlife. *Obesity (Silver Spring)* 2006;14(8):1462-71.
- Olsen LW, Baker JL, Holst C, Sorensen TI. Birth cohort effect on the obesity epidemic in Denmark. *Epidemiology* 2006;17(3):292-5.
- Osler M, Petersen L, Prescott E, Teasdale TW, Sorensen TI. Genetic and environmental influences on the relation between parental social class and mortality. *Int J Epidemiol* 2006;35(5):1272-7.
- Overgaard D, Gamborg M, Gyntelberg F, Heitmann BL. Psychological workload and weight gain among women with and without familial obesity. *Obesity (Silver Spring)* 2006;14(3):458-63.
- Oxlund AL, Heitmann BL. Glycaemic index and glycaemic load in relation to blood lipids - 6 years of follow-up in adult Danish men and women. *Public Health Nutr* 2006;9(6):737-45.
- Pedersen KM, Worre-Jensen AL. [Obesity and health economics. Review and status]. *Ugeskr Laeger* 2006;168(2):196-201.
- Petersen L, Sorensen TI, Nielsen GG, Andersen PK. Inference methods for correlated left truncated lifetimes: parent and offspring relations in an adoption study. *Lifetime Data Anal* 2006;12(1):5-20.
- Petersen M, Taylor MA, Saris WH, Verdich C, Toubro S, Macdonald I, et al. Randomized, multi-center trial of two hypo-energetic diets in obese subjects: high- versus low-fat content. *Int J Obes (Lond)* 2006;30(3):552-60.

Santos JL, Boutin P, Verdich C, Holst C, Larsen LH, Toubro S, et al. Genotype-by-nutrient interactions assessed in European obese women : A case-only study. *Eur J Nutr* 2006;45(8):454-62.

Schack-Nielsen L, Molgaard C, Sorensen TI, Greisen G, Michaelsen KF. Secular change in size at birth from 1973 to 2003: national data from Denmark. *Obesity (Silver Spring)* 2006;14(7):1257-63.

Sorensen GL, Hjelmberg JV, Leth-Larsen R, Schmidt V, Fenger M, Poulain F, et al. Surfactant protein D of the innate immune defence is inversely associated with human obesity and SP-D deficiency infers increased body weight in mice. *Scand J Immunol* 2006;64(6):633-8.

Sorensen GL, Hjelmberg JB, Kyvik KO, Fenger M, Hoj A, Bendixen C, et al. Genetic and environmental influences of surfactant protein D serum levels. *Am J Physiol Lung Cell Mol Physiol* 2006;290(5):L1010-L1017.

Sorensen HJ, Mortensen EL, Reinisch JM, Mednick SA. Early weaning and hospitalization with alcohol-related diagnoses in adult life. *Am J Psychiatry* 2006;163(4):704-9.

Sorensen HJ, Mortensen EL, Reinisch JM, Mednick SA. Height, weight and body mass index in early adulthood and risk of schizophrenia. *Acta Psychiatr Scand* 2006;114(1):49-54.

Sorensen HJ, Mortensen EL, Parnas J, Mednick SA. Premorbid neurocognitive functioning in schizophrenia spectrum disorder. *Schizophr Bull* 2006;32(3):578-83.

Sorensen TI, Boutin P, Taylor MA, Larsen LH, Verdich C, Petersen L, et al. Genetic Polymorphisms and Weight Loss in Obesity: A Randomised Trial of Hypo-Energetic High- versus Low-Fat Diets. *PLoS Clin Trials* 2006;1(2):e12.

Sorensen TIA, Hadenague A, Salerno F, Bendtsen F, Talwalkar J, Heathcote J, Blei AT et al. Providing scientific evidence: RCTs and beyond. In: de Francis R, ed. *Portal Hypertension IV*. London: Blackwell Publishing; 2006:356-90.

Taarnhoj NC, Larsen M, Sander B, Kyvik KO, Kessel L, Hougaard JL, et al. Heritability of retinal vessel diameters and blood pressure: a twin study. *Invest Ophthalmol Vis Sci* 2006;47(8):3539-44.

Vestbo J, Prescott E, Almdal T, Dahl M, Nordestgaard BG, Andersen T, et al. Body mass, fat-free body mass, and prognosis in patients with chronic obstructive pulmonary disease from a random population sample: findings from the Copenhagen City Heart Study. *Am J Respir Crit Care Med* 2006;173(1):79-83.

Wagner G, Jiang X. Corpus cavernosum electromyography, a usable clinical diagnostic method for erectile dysfunction? *Indian J Urol* 2006;22:225-30.

BBH 600 Klinisk enhed for sygdomsforebyggelse

Brandstrup B, Svendsen C, Engquist A. Hemorrhage and operation cause a contraction of the extracellular space needing replacement--evidence and implications? A systematic review. *Surgery* 2006;139(3):419-32.

Frolich A, Talavera JA, Broadhead P, Dudley RA. A behavioral model of clinician responses to incentives to improve quality. *Health Policy* 2007;80(1):179-93.

Kjaer M, Suetta C, Tonnesen H. [The physically-inactive surgical patient]. *Ugeskr Laeger* 2006;168(49):4322-4.

Lund H, Tonnesen H, Tonnesen MH, Olsen O. Long-term recurrence and death rates after acute pancreatitis. *Scand J Gastroenterol* 2006;41(2):234-8.

Moller A, Tonnesen H. Risk reduction: perioperative smoking intervention. *Best Pract Res Clin Anaesthesiol* 2006;20(2):237-48.

Neumann T, Neuner B, Weiss-Gerlach E, Tonnesen H, Gentilello LM, Wernecke KD, et al. The effect of computerized tailored brief advice on at-risk drinking in subcritically injured trauma patients. *J Trauma* 2006;61(4):805-14.

Precht DH, Keiding L, Nielsen GA, Madsen M. Smoking among upper secondary pupils with asthma: reasons for their smoking behavior: a population-based study. *J Adolesc Health* 2006;39(1):141-3.

Tonnesen H, Moller AM. [The smoking and drinking patient]. *Ugeskr Laeger* 2006;168(49):4293-6.

Tonnesen H, Bendix AF, Hendriksen C, Nielsen CV, Zeeberg I, Larsen ML, Als OS, Borg T, Jensen UB. *Laegens rolle i rehabilitering*. Kobenhavn: Laegeforeningens Forlag; 2006.

BBH 620 Lungemedicinsk Klinik L

Backer V. Underdiagnosticering og underbehandling af astma og rhinitis. *Respiratory Review* 2006;21-9.

Backer V, Porsbjerg C, Thomsen SF, Ulrik CS. Astma og allergi - hvad har vi laert af kohorteundersogelserne? *Allergi i Praxis* 2006;4:28-33.

Backer V, Pedersen L, Lund TC. [Can asthma be induced by elite sports performance?]. *Ugeskr Laeger* 2006;168(51):4532-4.

Backer V, Nepper-Christensen S, Nolte H. Quality of care in patients with asthma and rhinitis treated by respiratory specialists and primary care physicians: a 3-year randomized and prospective follow-up study. *Ann Allergy Asthma Immunol* 2006;97(4):490-6.

Khoo SK, Zhang G, Backer V, Porsbjerg C, Nepper-Christensen S, Creegan R, et al. Associations of a novel IL4RA polymorphism, Ala57Thr, in Greenlander Inuit. *J Allergy Clin Immunol* 2006;118(3):627-34.

Nolte H, Nepper-Christensen S, Backer V. Unawareness and undertreatment of asthma and allergic rhinitis in a general population. *Respir Med* 2006;100(2):354-62.

Porsbjerg C, von Linstow ML, Ulrik CS, Nepper-Christensen S, Backer V. Risk factors for onset of asthma: a 12-year prospective follow-up study. *Chest* 2006;129(2):309-16.

Thomsen SF, Ulrik CS, Porsbjerg C, Backer V. Early life exposures and risk of atopy among Danish children. *Allergy Asthma Proc* 2006;27(2):110-4.

Thomsen SF, Ulrik CS, Porsbjerg C, Backer V. Skin test reactivity among Danish children measured 15 years apart. *J Asthma* 2006;43(2):151-3.

Thomsen SF, Ulrik CS, Kyvik KO, von Bornemann HJ, Skadhauge LR, Steffensen I, et al. Genetic and environmental contributions to hay fever among young adult twins. *Respir Med* 2006;100(12):2177-82.

Thomsen SF, Ulrik CS, Kyvik KO, Skadhauge LR, Steffensen I, Backer V. Findings on the atopic triad from a Danish twin registry. *Int J Tuberc Lung Dis* 2006;10(11):1268-72.

Thomsen SF, Ulrik CS, Kyvik KO, Larsen K, Skadhauge LR, Steffensen IE, et al. Risk factors for asthma in young adults: a co-twin control study. *Allergy* 2006;61(2):229-33.

Thomsen SF, Ulrik CS, Kyvik KO, Ferreira MA, Backer V. Multivariate genetic analysis of atopy phenotypes in a selected sample of twins. *Clin Exp Allergy* 2006;36:1382-90.

Ulrik CS, Backer V, Soes-Petersen U, Lange P, Harving H, Plaschke PP. The patient's perspective: adherence or non-adherence to asthma controller therapy? *J Asthma* 2006;43(9):701-4.